

INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(Multiple sheets used when necessary)</i>	Application No.	10/620,296
	Filing Date	15 July 2003
	First Named Inventor	Katsuro Tachibana
	Art Unit	3766
	Examiner	Mark Bockelman
SHEET 1 OF 3	Attorney Docket No.	EKOS.8CP3DV1C3

U.S. PATENT DOCUMENTS

Examiner Initials	Cite No.	Document Number Number - Kind Code (if known) Example: 1,234,567 B1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
	1	2,961,382	11-22-1960	H.O. Singher et al.	
	2	4,466,442	08-21-1984	Hilmann et al.	
	3	4,657,543	04-14-1987	Langer et al.	
	4	4,657,756	04-14-1987	Rasor et al.	
	5	4,762,915	08-09-1988	Kung et al.	
	6	4,772,594	09-20-1988	Hashimoto et al.	
	7	4,774,958	10-04-1988	Feinstein	
	8	4,797,285	01-10-1989	Barenholz et al.	
	9	4,844,882	07-04-1989	Widder et al.	
	10	4,900,540	02-13-1990	Ryan et al.	
	11	5,040,537	08-20-1991	Katakura	
	12	5,069,664	12-03-1991	Guess et al.	
	13	5,149,319	09-22-1992	Unger	
	14	5,156,050	10-20-1992	Schmid et al.	
	15	5,209,720	05-11-1993	Unger	
	16	5,215,680	06-01-1993	D'Arrigo	
	17	5,216,130	06-01-1993	Line et al.	
	18	5,342,292	08-30-1994	Nita et al.	
	19	5,445,155	08-29-1995	Sieben	
	20	5,558,092	09-24-1996	Unger et al.	
	21	5,580,575	12-03-1996	Unger et al.	
	22	5,585,112	12-17-1996	Unger et al.	
	23	5,718,921	02-17-1998	Mathiowitz et al.	
	24	5,776,429	07-07-1998	Unger et al.	
	25	6,068,857	05-30-2000	Weitschies et al.	
	26	6,135,976	10-24-2000	Tachibana et al.	
	27	6,416,740	07-09-2002	Unger	
	28	6,508,816	01-21-2003	Shaddock	
	29	6,524,251	02-25-2003	Rabiner et al.	

Examiner Signature	Date Considered
<p>*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p>	

T¹ - Place a check mark in this area when an English language Translation is attached.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(Multiple sheets used when necessary)</i>	Application No.	10/620,296	
	Filing Date	15 July 2003	
	First Named Inventor	Katsuro Tachibana	
	Art Unit	3766	
(Multiple sheets used when necessary)		Examiner	Mark Bockelman
SHEET 2 OF 3		Attorney Docket No.	EKOS.8CP3DV1C3

U.S. PATENT DOCUMENTS

Examiner Initials	Cite No.	Document Number Number - Kind Code (if known) Example: 1,234,567 B1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
	30	6,548,047	04-15-2003	Unger	
	31	6,582,392	06-24-2003	Bennett et al.	
	32	6,723,063	04-20-2004	Zhang et al.	
	33	US 2001/0003790	06-14-2001	Ben-Haim et al.	
	34	US 2002/0151792	10-17-2002	Conston et al.	

FOREIGN PATENT DOCUMENTS

Examiner Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	T ¹
	35	EP 1252885	10-30-2002	Imarx Pharmaceutical Corp.		
	36	WO 89/05160	06-15-1989	Schering AG Berlin Und Bergkamen		Abstract only
	37	WO 95/15118	06-08-1995	Unger et al.		
	38	WO 96/15815	05-30-1996	Bracco Research S.A.		

NON PATENT LITERATURE DOCUMENTS

Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ¹
	39	BAO, Shiping et al., Transfection of a Reporter plasmid into Cultured Cells By Sonoporation In Vitro. Vol. 23, Nov. 6, 1997.	
	40	BLEEKER et al., J. Ultrasound, Med. 9(8): 461-71 (Aug.1990) On the Application of Ultrasonic Contrast Agents for Blood Flowmetry and Assessment of Cardiac Perfusion*.	
	41	B.D. BUTLER, J. clin. Ultrasound 14(5): 408-12 (Jun. 1986) Production of Microbubbles for Use as Echo Contrast Agents*.	
	41	FEINSTEIN et al., J. Am. Coll. Cardiol. 3(1): 14-20 (Jan. 1984) Two-dimensional Contrast Echocardiography I. In Vitro Development and Quantitative Analysis of Echo Contrast Agents*.	
	40	GREENLEAF, William J. et al.; Artifical Cavitation Nuclei Significantly Enhance Accoustically Induced Cell Transfection. Vol. 24, No. 4 pp. 587-595, 1998.	
	41	HOLLAND, C.K. and R.E. APFEL, J. Acoust. Soc. Am. 88(5): 2059-2069 (Nov. 1990) Thresholds for Transient Caviation Produced by Pulsed Ultrasound in a Controlled Nuclei Environment*.	
	45	JEFFERS, Russel et al; Dimethylformamide as an Enhancer of Cavitation-Induced Cell Lysis In Vitro, Vol. 97, No. 1, Jan. 1995.	

Examiner Signature	Date Considered
*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

T¹ - Place a check mark in this area when an English language Translation is attached.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(Multiple sheets used when necessary)</i>	Application No.	10/620,296
	Filing Date	15 July 2003
	First Named Inventor	Katsuro Tachibana
	Art Unit	3766
SHEET 3 OF 3		Attorney Docket No. EKOS.8CP3DV1C3

NON PATENT LITERATURE DOCUMENTS

Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ¹
	46	JEFFERS, R.J. et al.; Evaluation of the Effect of Cavitation Activity on Drug-Ultrasound Synergisms, 1993.	
	47	KELLER et al., J. Ultrasound Med. 5(9): 493-8 (Sept. 1986) Automated Production and Analysis of Echo Contrast Agents*.	
	48	KIM, T.F. Medical news & Perspectives, JAMA 261(11): 1542 (Mar. 17, 1989) Microbubbles Show Promise for Enhancing Ultrasound Signal, Image, Other Applications*.	
	49	LANG et al., Circulation 75(1): 229-234 (Jan. 1987) Contrast Ultrasonography of the Kidney: a New Method for Evaluation of Renal Perfusion in Vivo*.	
	50	LEONG et al., Biomaterials, vol.7: 364-371 (Sept. 1986) Polyanhydrides for Controlled Release of Bioactive Agents*.	
	51	MELTZER et al., J. Clin. Ultrasound 8(2): 121-7 (Apr. 1980) The Source of Ultrasound Contrast Effect*.	
	52	MILLER, Douglas L. et al.; Sonoporation of Cultured Cells in the Rotation Tube Exposure System, vol. 25, No. 1, 1999.	
	53	PCT Search Report, PCT Application PCT/US2006/13531; 12 April 2006	
	54	PORTER, T.R. et al., Thrombolytic Enhancement With Perfluorocarbon-Exposed Sonicated Dextrose Albumin Microbubbles, Nov. 1996.	
	56	PRAT, F. et al.; In Vivo Effects of Cavitation Alone or in Combination With Chemotherapy in a Peritoneal Carcinomatosis in the Rat. Vol. 68, pp. 13-17	
	56	PRICE, Richard et al.; Delivery of Colloidal Particles and Red Blood Cells to Tissue Through Microvessel Ruptures Created By Targeted Microbubble Destruction With Ultrasound, Sep. 29, 1998.	
	57	TACHIBANA K.; Albumin Microbubble Echo-Contrast Materials as an Enhancer For Ultrasound Accelerated Thrombolysis, Sep.1, 1995.	
	58	UNGER, EVAN C. et al.; Acoustically Active Liposomes Containing Paclitaxel, vol. 11, No. 12, 1992.	
	59	UNGER, Evan et al., Ultrasound Enhances Gene Expression of Liposomal Transfection. Vol. 32, No. 12, Dec. 1997.	
	60	VANDENBURG et al., Am. Heart J., 115(4), 733-9 (Apr. 1988) Myocardial Risk Area and Peak Gray Level Measurement by Contrast Echocardiography: Effect of Microbubble Size and Concentration, Injection Rate, and Coronary Vasodilation*.	
	61	WHEATLY et al., Biomaterials 11(19): 713-7 (Nov. 1990) Contrast Agents for Diagnostic Ultrasound: Development and Evaluation of Polymer-Coated Microbubbles*.	
	62	WU, Yunqiu et al., Binding and Lysing of Blood Clots Using MRX-408, May 1998.	

3918631-062207

Examiner Signature	Date Considered
*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

T¹ - Place a check mark in this area when an English language Translation is attached.